

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

June 2, 2005

06-Tul,Kin-99,198-15.6,9.2
06-0A2704

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in TULARE AND KINGS COUNTIES ON ROUTE 99 AT AVENUE 76 UNDERCROSSING AND ON ROUTE 198 AT KINGS RIVER BRIDGE..

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on June 8, 2005.

This addendum is being issued to provide a copy of the Information Handout.

To Proposal and Contract book holders:

Attached is a copy Information Handout.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1
Page 2
June 2, 2005

06-Tul,Kin-99,198-15.6,9.2
06-0A2704

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachments

FOR CONTRACT NO.: 06-0A2704

INFORMATION HANDOUT

CONDUCTIVE POLYESTER CONCRETE SAMPLE MIX DESIGN

ROUTE: 06-Tul,Kin-99,198-15.6,9.2

Conductive Polyester Concrete Sample Mix Design

When mixed in the following proportions, the conductive polyester concrete will have a unit weight of approximately 1810 kg/m^3 (113 lb/ft^3).

50% mineral aggregate by combined weight of aggregate and coke
25% 218R coke by combined weight of aggregate and coke
25% 251 coke by combined weight of aggregate and coke
19% resin by combined weight of aggregate and coke.

A sample mix could be as follows:

300 kg B-39 aggregate
200 kg B-11 aggregate
250 kg 218R coke
250 kg 251 coke
190 kg polyester resin

1170 kg total weight.

Approximate volume of 0.646 m^3 .